Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1. 1 (Currently amended): A computer-implemented method for generating a 2 portal page, the method comprising: 3 generating forwarding information, from a first computer system to a second 4 computer system, that configures the second computer system to display one or more a set of 5 graphical user interfaces using a computer system that enable users of the second computer 6 system to interactively construct software code representing that generates portlets configured to 7 generate information displays when included on [[a]] the portal page; 8 displaying forwarding information, from the first computer system to the second 9 computer system, that configures the second computer system to display a first user interface in 10 the set of one or more graphical user interfaces based on selections by the users of the second 11 computer system of data types for data sources associated with portlets being designed by the 12 users using the computer system, the first user interface configured to receive access information 13 associated with a data source declaratively specified by [[a]] the users of the second computer 14 system during [[an]] interactive sessions with the one or more set of graphical user interfaces of 15 the data sources associated with the portlet being designed by the users; 16 displaying forwarding information, from the first computer system to the second 17 computer system, that configures the second computer system to display a second user interface 18 in the set of one or more graphical user interfaces using the computer system, the second user 19 interface configured to receive layout information declaratively specified by the users of the 20 second computer system during the interactive sessions with the set of one or more graphical 21 user interfaces, the layout information indicative of at least one layout style from one or more 22 layout styles presented by the second user interface for data from the data sources associated

3

4

 $\underline{\text{the}} \ \mathbf{a} \ \text{data type} \ \underline{\text{of}} \ \overline{\text{for}} \ \text{the} \ \underline{\text{first}} \ \text{data source}.$

23	with the portlets being designed by the users visualization of information from one or more data			
24	sources generated by a portlet when the portlet is included within a portal page;			
25	determining a data source specification using [[the]] a computer system based or			
26	access information associated with a first data source of a first data type selected by a first user			
27	of the second computer system, the access information received via the first user interface from			
28	[[a]] the first user of the second computer system during a[[n]] first interactive session with the			
29	one or more first graphical user interfaces;			
30	determining a layout specification using the computer system based on a first			
31	layout style in layout information received via the second user interface from [[a]] the first user			
32	of the second computer system during [[an]] the first interactive session with the one or more			
33	first graphical user interfaces;			
34	generating software coding using the computer system that represents ereates a			
35	portlet being designed by the first user of the second computer system during the first interactive			
36	session with the one or more graphical user interfaces based on the data source specification and			
37	the layout specification, the portlet configured by the software coding to obtain data from the			
38	first data source and to create at least one visual representation according to the first layout style			
39	within the portal when included on the portal page of the data obtained from the first data source			
40	specified by the data source specification according to the layout specification;			
41	retrieving data for the first data source using the computer system based on the			
42	software coding that represents the portlet data source specification and the access information;			
43	determining a layout within the portlet for the data retrieved for the first data			
44	source within the portlet using the computer system based on the software coding that represent			
45	the portlet layout specification; and			
46	generating using the computer system the portal page using the portlet.			
1	2. (Currently amended): The method of claim 1, wherein <u>determining the</u>			
2	data source specification based on the access information associated with the first data source of			

the first data type selected by the first user of the second computer system comprises determining

2

3

3. (Currently amended): The method of claim 2, wherein determining the 1 2 data type of the first data source comprises determining at least one of a spreadsheet data type, 3 XML data type, SQL data type, web service data type, and a web page data type. 1 4. (Currently amended): The method of claim 1, wherein determining the 2 data source specification based on the access information associated with the first data source of 3 the first data type selected by the first user of the second computer system comprises determining 4 a path to the first data source. 1 5. (Currently amended): The method of claim 4, wherein determining the 2 path comprises determining a URL. 1 6. (Currently amended): The method of claim 1, wherein determining the 2 data source specification based on the access information associated with the first data source of 3 the first data type selected by the first user of the second computer system comprises determining 4 a filtering specification based on filter information received from the first user during the first 5 interactive session via a third graphical user interface in the one or more graphical user 6 interfaces, the third graphical user interface configured to receive data filters specified by the 7 users of the second computer system that filter[[s]] data retrieved from the data sources for the 8 portlets being designed by the users. 1 7. (Currently amended): The method of claim 1, wherein determining the 2 layout specification based on the first layout style in the layout information comprises 3 determining the first layout style as at least one of a tabular layout, chart layout, news layout, 4 form layout, and bullet layout. 8. 1 (Currently amended): The method of claim 1, wherein determining the

layout within the portlet for the data retrieved for the first data source comprises formatting the

retrieved data retrieved for the first data source into the first layout style.

1	9. (Original): The method of claim 1, wherein the portal page comprises a		
2	web-based page.		
1	10. (Currently amended): The method of claim 1, wherein the <u>portal</u> page		
2	comprises a <u>non web-based page</u> portlet .		
1	11. (Currently amended): A computer-implemented method for generating a		
2	user-customizable graphical user interface (GUI), the method comprising:		
3	generating forwarding information, from a first computer system to a second		
4	computer system, that configures the second computer system to display one or more a set of		
5	graphical user interfaces using a computer system that enable users of the second computer		
6	system to interactively construct software code representing that ereates objects portlets		
7	configured to generate information displays [[on]] within the user-customizable GUI a portal		
8	page;		
9	providing forwarding information, from the first computer system to the second		
10	computer system, that enables the [[a]] display of a data source interface in the set of one or		
11	more graphical user interfaces based on selections by the users of the second computer system of		
12	data types for data sources associated with objects being designed by the users using the		
13	computer system, the data source interface configured to receive that enables a user to		
14	declaratively specify access information for a data source declaratively specified by the users of		
15	the second computer system during one or more interactive sessions with the data source		
16	interface of the data source associated with the object being designed by the users;		
17	determining a declarative specification for the data source using a [[the]]		
18	computer system based on access information <u>associated with a first data source of a first data</u>		
19	type provided by [[the]] a first user of the second computer system during an interactive session		
20	with the data source interface;		
21	retrieving, using the computer system, data for the first data source using the		
22	access information;		

computer system, that enables the [[a]] display of a layout interface in the set of one or more
graphical user interfaces, the layout interface configured to receive layout information
declaratively specified by the users of the second computer system during the one or more
interactive sessions with the one or more graphical user interfaces, the layout information
indicative of at least one layout options from one or more layout options presented by the layout
interface for data from the data sources associated with the objects being designed by the users
that enables the user to declaratively specify a layout for the data for the data source during one
or more interactive sessions with the layout interface;
determining a layout specification using the computer system based on [[the]] a
first layout option provided by the first user of the second computer system during an interactive
session with the layout interface, the layout specification indicative of one or more visualizations
within the object being designed by the first user of the data retrieved from [[for]] the first data
source when included on the user-customizable GUI graphical user interface; and
generating, using the computer system, software coding that represents the creates
an object being designed by the first user based on the declarative specification for the data
source and the layout specification, the object configured to [[that]] create[[s]] a graphical user
interface when included on the user-customizable GUI, the graphical user interface of the object
displaying the retrieved data from the first data source according to the first layout option
provided by the user based on the declarative specification for the data source and the layout
specification.

providing forwarding information, from the first computer system to the second

12. (Currently amended): The method of claim 11, wherein <u>forwarding</u> information, from the first computer system to the second computer system, that enables the <u>display of</u> the data source interface comprises <u>forwarding information</u> that enables the <u>display of</u> one or more data types <u>in the data source interface and</u> that <u>further</u> enables [[a]] <u>the users of the second computer system</u> to specify [[a]] data type for the data sources <u>associated with objects being designed by the users.</u>

1	13. (Original): The method of claim 12, wherein the one or more data types			
2	comprise at least one of a spreadsheet data type, XML data type, SQL data type, web service			
3	data type, and a web page data type.			
1	14 (0 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			
1	14. (Currently amended): The method of claim 12, wherein determining			
2	retrieving, using the computer system, the data for the first data source using the access			
3	information comprises using the specified first data type and the access information to retrieve			
4	the data for the specified first data source.			
1	15. (Original): The method of claim 11, wherein the access information			
2	comprises a URL.			
1	16. (Currently amended): The method of claim 11, further comprising			
2	providing forwarding information, from the first computer system to the second computer			
3	system, that enables the display of a filtering interface in the one or more graphical user			
4	interfaces, the filtering interface including filtering options for the retrieved data that enables			
5	[[a]] the users of the second computer system to declaratively specify which data to use in the			
6	user-customizable generated GUI.			
1	17. (Currently amended): The method of claim 11, wherein <u>forwarding</u>			
2	information, from the first computer system to the second computer system, that enables the			
3	display of the layout interface comprises forwarding information that enables the display of one			
4	or more layout options and that enables the user to declaratively specify a layout type.			
1				
1	18. (Original): The method of claim 17, wherein the layout type comprises at			
2	least one of a tabular layout, chart layout, news layout, form layout, and bullet layout.			
1	19. (Currently amended): The method of claim 17, further comprising			
2	providing forwarding information, from the first computer system to the second computer			
3	system, that enables the display of a layout type interface that enables the user to <u>further</u> specify			

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

- 4 how the retrieved data from the data sources associated with the objects being designed by the
- 5 <u>users</u> should be laid out in the <u>user-customizable</u> GUI using the specified layout type.
- 1 20. (Original): The method of claim 11, wherein the data source interface 2 does not include the access information for the data source before it is declaratively specified by 3 the user.
- 1 21. (Currently amended): The method of claim 11, wherein the <u>user-</u> 2 customizable GUI comprises a web-based page.
- 1 22. (Currently amended): The method of claim 11, wherein the <u>object of the</u> 2 <u>user-customizable</u> GUI comprises a portlet.
 - 23. (Currently amended): A computer-implemented method for declaratively generating a page using an interface configure to enable <u>a</u> user[[s]] to create objects that generate one or more visual representation of data when associated with the page, the method comprising:

forwarding information, from a first computer system to a second computer system, that configures the second computer system to display[[ing]] the interface to the user using a computer system to enable the user to construct software code representing that creates the objects that generate one or more visual representations of data on the page;

forwarding information, from the first computer system to the second computer system, that enables the user to select during an interactive session with the interface one or more data types presented by the interface for data sources associated with the objects being designed by the user, the interface configured based on the information to receive access information declaratively specified by the user during the interactive session with the interface of the data sources associated with the objects being designed by the user;

receiving, at using a computer system, via the interface first input from the user during one or more interactive sessions between the user and with the interface, the first input indicative of access information associated with a <u>first</u> data source <u>of an object that generates one</u> or more visual representation of data when associated with the page;

1

26.

18	retrieving, data using a computer system, data from the first data source using the			
19	access information;			
20	forwarding information, from the first computer system to the second computer			
21	system, that enables the user of the second computer system to select during an interactive			
22	session with the interface one or more layout types presented by the interface for data obtained			
23	from the data sources associated with the objects being designed by the user, the interface			
24	configured based on the information to receive a selection by the user during the interactive			
25	session with the interface of at least one layout style from one or more layout styles presented by			
26	the interface for the data from the data sources associated with the objects being designed by the			
27	user;			
28	determining, using a computer system, layout information for the data retrieved			
29	associated with from the first data source from second input from the user received during the			
30	one or more interactive sessions between the user and the interface, the layout information			
31	indicative of one or more visualizations in a first layout style selected by the first user of the data			
32	retrieved from the first data source for the ereated by an object when included on [[a]] the page;			
33	generating software coding for the one or more page object[[s]] using a computer			
34	system that ereate displays the one or more visualizations of the data retrieved from the first data			
35	source of information according to the layout information in response to the one or more			
36	interactive sessions between the user and the interface; and			
37	generating [[a]] the page using a computer system using the object retrieved data			
38	and the layout information.			
1	24. (Currently amended): The method of claim 23, wherein <u>receiving</u> the <u>first</u>			
2	input declarative specification comprises receiving a declarative specification of a data type for			
3	the data source.			
J				
1	25. (Original) The method of claim 23, wherein the access information			
2	comprises a path to the data source.			

(Original): The method of claim 25, wherein the path comprises a URL.

PATENT

1	27.	(Currently amended): The method of claim 23, wherein receiving the first
2	input declarative sp	ecification comprises receiving a filtering specification that filters data
3	retrieved from the data source.	
1	28.	(Original): The method of claim 23, wherein the page comprises a web-
2	based page.	
1	29.	(Currently amended): The method of claim 23, wherein the object on the
2	page comprises a portlet.	